```
        (FILE 'USPAT' ENTERED AT 08:35:18 ON 09 SEP 1999)
L1           0 S (GRAPHIC USER)(W)INTERFACE# (10A) MASTER(W)FILE#
L2           1 S (GRAPHIC OR USER)(W)INTERFACE# (10A) MASTER(W)FILE#
L3       58828 S LI OR REGISTRY
L4       26744 S L2 OR REGISTRY
L5           0 S L2 AND REGISTRY
L6           0 S (GRAPHIC OR USER)(W)INTERFACE# (10A) MASTER(W)FILE# (P)
REG
L7           0 S (GRAPHIC OR USER)(W)INTERFACE# (10A) MASTER(W)FILE# (100
A)
L8           0 S MASTER (W) FILE# (P) SHELL(W)REGISTRY
L9         496 S MASTER (W) FILE#
L10          0 S SHELL(W)REGISTRY
L11      26743 S REGISTRY
L12         15 S L9 AND L11
L13     167571 S NETWORK###
L14          7 S L12 AND L13
L15          6 S L12 AND (GRAPHIC OR USER)(W)INTERFACE#
```

```
Set      Items    Description
S1          20    AU="BERRY J"
S2          13    AU="BERRY J R"
S3          12    AU="DAY R"
S4           5    AU="DAY R F"
S5           0    AU=FLO E?
S6          22    AU="MATTHEWS J"
S7          28    AU="MATTHEWS J H"
S8          57    AU="TURNER R"
S9          18    AU="TURNER R S"
S10          1    AU="TURNER RICHARD S"
S11        176    S1:S10
S12          0    S11 AND DEFAULT?
S13          4    S11 AND (FOLDER? OR DIRECTOR? OR CONTAINER?)
S14         10    DEFAULT?(2N)(FOLDER? OR DIRECTOR? OR CONTAINER?)
S15       6323    (FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA-
                  MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? -
                  OR EVALUAT? OR DETERMIN?)
S16       8007    (FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR
                  DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR DET? ? OR JUDG? -
                  OR RECOGNI? OR CONFIRM?)
S17      16263    (FILE? OR DOCUMENT?)(3N)(EXTENSION? OR MARK? OR IDENTIF? OR
                  DESIGNAT? OR SPECIF? OR SELECT? OR ASSIGN? OR PICK? OR INDIC-
                  AT? OR INSPECT?)
S18          0    S14 AND (S15 OR S16)
S19          1    S14 AND S17
?t s19/5/1
```

S20   9   S14 NOT S19

19/5/1   (Item 1 from file: 351)
DIALOG(R)File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

012030505   **Image available**
WPI Acc No: 98-447415/199838
Related WPI Acc No: 98-447430; 98-447570
XRPX Acc No: N98-348711
   File identification **and classification technique for data back-up
system - has database with list including at least one set of files and
back-up routine and with second list which excludes obtained files from
first list**
Patent Assignee: CONNECTED CORP (CONN-N)
Inventor: CANE D; HIRSCHMAN D; SPEARE P; VAITZBLIT L
Number of Countries: 023 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week	
WO 9835285	A2	19980813	WO 98US2416	A	19980210	G06F-000/00	199838	B
AU 9861510	A	19980826	AU 9861510	A	19980210	G06F-019/00	199902	
US 5940507	A	19990817	US 9737597	A	19970211	H04L-009/00	199939	
			US 9814830	A	19980128			

Priority Applications (No Type Date): US 97984015 A 19971203; US 9737597 A
   19970211; US 9814830 A 19980128
Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
WO 9835285	A2	E	17			

    Designated States (National): AU CA JP NO NZ
    Designated States (Regional): AT BE CH DE DK ES FI FR GB GR IE IT LU MC
    NL PT SE

AU 9861510	A			Based on		WO 9835285

US 5940507 A   Provisional   US 9737597

Abstract (Basic): WO 9835285 A
        The system includes a database with a list that indicates at least
a first set of files. A backup routine excludes each file in the first
set of files from backup operations so that no archival copy of such
files in the first set of files is stored on the second storage media.
User generated files can be distinguished from non-user generated
files.
        The files in the first set are non-user generated files. The list
includes at least one record of a **default   directory** associated with
a known software program. Every file in the **default   directory** is
excluded from backup operations. A portion of the files in the **default
 directory** is excluded from backup operations in accordance with at
least one exclusion rule.
        ADVANTAGE - Reduces amount of computing effort required to perform
backup operation.
        Dwg.1/3
Title Terms: FILE; IDENTIFY; CLASSIFY; TECHNIQUE; DATA; BACK; UP; SYSTEM;
  DATABASE; LIST; ONE; SET; FILE; BACK; UP; ROUTINE; SECOND; LIST; EXCLUDE;
  OBTAIN; FILE; FIRST; LIST
Derwent Class: T01
International Patent Class (Main): G06F-000/00; G06F-019/00; H04L-009/00
File Segment: EPI

13/6/1   (Item 1 from file: 351)   *printed on Next page*
011960219
WPI Acc No: 98-377129/199832
Title Terms: **CONTAINER** ; FUNCTION; METHOD; COMPUTER; CANCEL; EVENT; ACCORD
  ; STATUS; INDICATE; INDICATE; EVENT; CANCEL; STATE; RECEIVE; EVENT;
  HANDLE

13/6/2   (Item 2 from file: 351)   *printed on Next page*
011558853   **Image available**
WPI Acc No: 97-535334/199749
Title Terms: MANAGEMENT; PROGRAM; **CONTAINER** ; IMPROVE; STORAGE; MECHANISM;
  COMPUTER; SYSTEM; **CONTAINER** ; STORAGE; OBJECT; LINK; OBJECT; **CONTAINER**
  ; FUNCTION; **CONTAINER** ; EXTEND; THROUGH; COMMAND; UNIT

13/6/3   (Item 3 from file: 351)
011320322   **Image available**
WPI Acc No: 97-298226/199727
Title Terms: IDENTIFY; INDIVIDUAL; NUCLEIC; ACID; DNA; COLLECT; DNA; SAMPLE
  ; CHEEK; SUBJECT; COLLECT; DEVICE; HANDLE; STORAGE; COMPONENT; HOUSE;
  CONTAINER

13/6/4   (Item 4 from file: 351)
002273037
WPI Acc No: 79-72247B/197940
Title Terms: PARENTERAL; FLUID; ADMINISTER; SET; AUTOMATIC; PURGE; FILL;
  TUBE; **CONTAINER** ; NEEDLE; ADAPT
?ds

DIALOG(R)File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

011960219
WPI Acc No: 98-377129/199832
Related WPI Acc No: 97-535334
XRPX Acc No: N98-294952
   Container **functionality customization method in computer - involves
 cancelling event according to status indication indicating event
 cancellation state received from event handler**
Patent Assignee: MICROSOFT CORP (MICR-N)
Inventor: **DAY R F** ; FLEMING B T; LUDWIG S R; MCCAULEY D E; MIKSOVSKY J T;
   REMINGTON D B; TIPPETT J M
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
US 5771384	A	19980623	US 94237357	A	19940502	G06F-009/44	199832 B
			US 97799960	A	19970212		

Priority Applications (No Type Date): US 94237357 A 19940502; US 97799960 A
   19970212
Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
US 5771384	A		24	Cont of	US 94237357	
				Cont of		US 5682532

Abstract (Basic): US 5771384 A
      The method involves receiving an indication of an event handler
   containing code to be executed upon event occurrence. The event handler
   is invoked such that it executes code of the event handler and
   determines whether the event shall be cancelled.
      A status indication indicating whether the event should get
   cancelled, is received from the event handler. The event is cancelled
   according to the received indication.
      ADVANTAGE - Extends functionality of **container** . Offers
   replaceable **container** .
      Dwg.0/0
Title Terms: **CONTAINER** ; FUNCTION; METHOD; COMPUTER; CANCEL; EVENT; ACCORD
   ; STATUS; INDICATE; INDICATE; EVENT; CANCEL; STATE; RECEIVE; EVENT;
   HANDLE
Derwent Class: T01
International Patent Class (Main): G06F-009/44
File Segment: EPI

DIALOG(R)File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

011558853   **Image available**
WPI Acc No: 97-535334/199749
Related WPI Acc No: 98-377129
XRPX Acc No: N97-445751
 Management of programmable container **having improved storage mechanism
 for computer system - using** container **for storing objects, links to
 objects, and other** containers, **and functionality of** container **is
 extendible through use of command unit**
Patent Assignee: MICROSOFT CORP (MICR-N)
Inventor: **DAY R F** ; FLEMING B T; LUDWIG S R; MCCAULEY D E; MIKSOVSKY J T;
   REMINGTON D B; TIPPETT J M
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
US 5682532	A	19971028	US 94237357	A	19940502	G06F-013/00	199749 B

Priority Applications (No Type Date): US 94237357 A 19940502
Patent Details:

Patent   Kind Lan Pg Filing Notes   Application Patent
US 5682532 A   23
Abstract (Basic): US 5682532 A

The method in a computer system modifies the functionality of a
container , the **container** for performing the functionality through
invocation of functions and for generating events upon the invocation
of the functions, the functionality for maintaining a logical grouping
of information. The computer system has a command unit containing event
handlers for processing events, a first event handler for determining
whether to allow a requested invocation of a selected one of the
functions to be performed, a second event handler for selectively
overriding the requested invocation of the selected function, and a
third event handler for notifying the command unit of completion of the
requested invocation of the selected function. The method comprises the
computer-implemented steps of, in response to a request from the
command unit, registering the event handlers. The event handlers are
registered with the **container** . A request is received by the
container for invocation of the selected function. The first event
handler is invoked in response to receiving the request for invocation
of the selected function. When the first event handler returns with an
indication that the requested invocation of the selected function is
not to be performed and returns from the selected function without
completing the functionality.

When the first event handler returns with an indication that the
requested invocation of the selected function is to be performed, the
second event handler is invoked. When the second event handler returns
with an indication that requested invocation of the selected function
has not been overridden, the functionality of the selected function is
performed. The third event handler is invoked to notify the command
unit of the completion of the functionality.

ADVANTAGE - Object-oriented techniques facilitate sharing of
objects.

Dwg.5/11

Title Terms: MANAGEMENT; PROGRAM; **CONTAINER** ; IMPROVE; STORAGE; MECHANISM;
COMPUTER; SYSTEM; **CONTAINER** ; STORAGE; OBJECT; LINK; OBJECT; **CONTAINER**
; FUNCTION; **CONTAINER** ; EXTEND; THROUGH; COMMAND; UNIT
Derwent Class: T01
International Patent Class (Main): G06F-013/00
International Patent Class (Additional): G06F-015/40
File Segment: EPI

20/TI/1   (Item 1 from file: 347)

NETWORK SYSTEM

20/TI/2   (Item 2 from file: 347)

GUIDANCE SYSTEM FOR INPUT OF COMMAND

20/TI/3   (Item 3 from file: 347)

MEDICAL PICTURE FILING DEVICE

20/TI/4   (Item 1 from file: 351)

Coin pusher type amusement machine - has controller which receives
signals from user detector and coin fall detector to control switching of
coin director alternatively between open first mode and closed second
mode

20/TI/5   (Item 2 from file: 351)

Associating phone directories with cellular numbers - involves using
phone with multiple number assignments and phone books and linking phone
books with number assignments

20/TI/6   (Item 3 from file: 351)

Application program environment setting system for multi-user operating
system - includes parameter management unit that fetches default
parameters stored in parameter directory and transfers default
parameter to application program

20/TI/7   (Item 4 from file: 351)

Computer system with processor and memory for interaction with user - has
log in command identifying user with default place object displayed based
on stored profile information to define workspace with shelf for
temporary storage

20/TI/8   (Item 5 from file: 351)   printed on Next page

Computing method used for running object management facility - involves
placing data files into default directory, searching directory for
files created or modified while application was open and creating new
object for files not linked

20/TI/9   (Item 6 from file: 351)

Information updating in translation look-aside buffer - associated
physical memory page number with virtual page number and inserting
information into buffer responsive to software command

DIALOG(R)File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

010114640   **Image available**
WPI Acc No: 95-015891/199503
Related WPI Acc No: 90-211465; 95-015888
XRPX Acc No: N95-012521
 **Computing method used for running object management facility - involves
 placing data files into default directory, searching directory for
 files created or modified while application was open and creating new
 object for files not linked**
Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: CROW W M; EHRLICH Y
Number of Countries: 008 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
EP 628907	A2	19941214	EP 89313317	A	19891220	G06F-009/44	199503 B
			EP 94114329	A	19891220		
EP 628907	A3	19960124	EP 89313317	A	19891220		199621
			EP 94114329	A	19891220	B	

Priority Applications (No Type Date): US 88292610 A 19881230
Cited Patents: No-SR.Pub; 3.Jnl.Ref
Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
EP 628907	A2	E	174	Related to	EP 89313317	

   Designated States (Regional): BE CH DE FR GB IT LI NL

| EP 628907 | A3 | | | Div ex | EP 89313317 | |

Abstract (Basic): EP 628907 A
     The method involves placing data files (849) generated by the first
  application into a **default   directory** . Upon closing the first
  application, the **default   directory** is searched for files created or
  modified while the first application was open. For every created or
  modified file found which is not already linked to an object, a new
  object referencing the first application is created and the new object
  is linked to the file.
     Fro every created or modified file round which is already linked to
  an object, if the object is currently active, a message is sent to the
  object indicating the created or modified file has changed.
     ADVANTAGE - Allows for free communication between all active
  objects.
     Dwg.1/145
Title Terms: COMPUTATION; METHOD; RUN; OBJECT; MANAGEMENT; FACILITY; PLACE;
  DATA; FILE; DEFAULT; DIRECTORY; SEARCH; DIRECTORY; FILE; MODIFIED; APPLY;
  OPEN; NEW; OBJECT; FILE; LINK
Derwent Class: T01
International Patent Class (Main): G06F-009/44
International Patent Class (Additional): G06F-003/00; G06F-015/20
File Segment: EPI
?

```
?show files;ds
File    2:INSPEC 1969-2000/Jan W4
          (c) 2000 Institution of Electrical Engineers
File    6:NTIS 64-2000/Mar W3
          Comp&distr 1998 NTIS, Intl Copyright All Righ
File    8:Ei Compendex(R) 1970-2000/Feb W1
          (c) 2000 Engineering Info. Inc.
File   34:SciSearch(R) Cited Ref Sci 1990-2000/Feb W3
          (c) 2000 Inst for Sci Info
File   35:DISSERTATION ABSTRACTS ONLINE 1861-1999/DEC
          (c) 2000 UMI
File   65:Inside Conferences 1993-2000/Apr W5
          (c) 2000 BLDSC all rts. reserv.
File   77:CONFERENCE PAPERS INDEX 1973-2000/JAN
          (c) 2000 CAMBRIDGE SCI ABS
File   94:JICST-EPlus 1985-2000/Nov W1
          (c)2000 Japan Science and Tech Corp(JST)
File   99:Wilson Appl. Sci & Tech Abs 1983-2000/Jan
          (c) 2000 The HW Wilson Co.
File  144:Pascal 1973-2000/Feb
          (c) 2000 INIST/CNRS
File  202:Information Science Abs. 1966-2000/Jan
          (c)   Information Today, Inc
File  233:Internet & Personal Comp. Abs. 1981-2000/Feb
          (c) 2000 INFO. TODAY INC.
File  238:Abs. in New Tech & Eng. 1981-2000/Feb
          (c) 2000 Reed-Elsevier (UK) Ltd.
File  434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
          (c) 1998 Inst for Sci Info


Set     Items    Description
S1          4    DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2         30    DEFAULT?(2N)(DIRECTOR?)
S3          0    S1 AND (FILE? OR DOCUMENT?)
S4         17    S2 AND (FILE? OR DOCUMENT?)
S5      25715    (FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA-
                 MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? -
                 OR EVALUAT? OR DETERMIN?)
S6      35745    (FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR
                 DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR JUDG? OR RECOGNI?
                 OR CONFIRM?)
S7          2    S4 AND (S5 OR S6)
S8          2    RD (unique items)
?t s8/7/2
```

8/7/2   (Item 1 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2000 INFO. TODAY INC. All rts. reserv.

```
00489470    98PI03-088
  Setup Wizard
    Sipe, Steven E
    PC Magazine , March 10, 1998 , v17 n5 p242-244, 2 Page(s)
    ISSN: 0888-8507
    Company Name: Sax Software
    URL: http://www.saxsoft.com
    Product Name: Setup Wizard 2.0
```
    Presents a favorable review of Setup Wizard 2.0 ($149), an installation
program from Sax Software Corp., Eugene, OR (800). The program is simple
and easy to use. It presents project options in a list and users can change
or add new options through toolbar buttons or menu items. A Project Wizard
guides the user through generating the project. It allows setting the
program title, **default   directory** , and list of **files** . It can also scan
executable **files** and **determine** which external DLLs and OCXs the **file**
requires. Project options can be selected manually in the project option
list and new options can be added. Once options are configured a Disk
Wizard aids in generating distribution media which include floppy disks,
CD-ROM, and e-mail. The program is a good performer which does not offer a

lot of advanced confi●ration options, but its ad●ced features are welcome. It is a good basic package at a low price. Includes one screen display. (djd)
?t s8/7/1

8/7/1   (Item 1 from file: 8)
DIALOG(R)File   8:Ei Compendex(R)
(c) 2000 Engineering Info. Inc. All rts. reserv.

01969341   E.I. Monthly No: EI8605037795   E.I. Yearly No: EI86030741
  Title: GENERATION OF 'USER SPECIFIED' DOS FULLY QUALIFIED FILE SPECIFICATION.
  Author: Anon
  Source: IBM Technical Disclosure Bulletin v 28 n 9 Feb 1986 p 4199-4201
  Publication Year: 1986
  CODEN: IBMTAA   ISSN: 0018-8689
  Language: ENGLISH
  Document Type: JA; (Journal Article)   Treatment: A; (Applications)
  Journal Announcement: 8605

  Abstract: On DisplayWrite 2, the dictionary program name is stored in the system hardware profile. The data set represented by this program name contains the spelling dictionary words that will be used during spell checking. The dictionary program name is displayed in the 'Change Spelling Dictionary Name' and 'Change **Check   Document** ' menus. The dictionary program dataset always resides in the **default** program dataset **directory**
  .
?

DIALOG(R)File   6:NTIS

1091322 NTIS Accession Number: DE83048594
ARC-XSEC1; Microscopic Cross Section Manipulation
  (Software,)
  Kovalsky, E. A. ; Zapatka, J. ; Henryson, H. ; Hoover, J. ; Walker, P. M.
  Argonne National Lab., IL.
  Corp. Source Codes: 001960000; 0448000
  Sponsor: Department of Energy, Washington, DC.
  Report No.: ANL/NESC-594
  1984   mag tape
  Languages: English
  Journal Announcement: GRAI8409
  U.S. Sales Only. Price includes documentation. Tapes can be prepared in
most recording modes for one-half inch tape. Specify recording mode
desired. Call NTIS Computer Products if you have questions.
  NTIS Prices: CP T13

    ... of the Argonne Reactor Computation (ARC) System. (ERA citation
08:026148)...Software Description: IBM360; FORTRAN IV; OS/360; 300K bytes
with a 10,000 doubleword **container** (**default**) and 2 peripheral I/O
devices.

DIALOG(R)File   6:NTIS

1089409 NTIS Accession Number: DE83048533
 ARC-NUI002 BCD Input Processor; BCD Input Data Processing Module
  (Software,)
  Kovalsky, E. A. ; Toppel, B. J.
  Argonne National Lab., IL.
  Corp. Source Codes: 001960000; 0448000
  Sponsor: Department of Energy, Washington, DC.
  Report No.: ANL/NESC-533
  1984   mag tape
  Languages: English
  Journal Announcement: GRAI8408
  U.S. Sales Only. Price includes documentation. Tapes can be prepared in
most recording modes for one-half inch tape. Specify recording mode
desired. Call NTIS Computer Products if you have questions.
  NTIS Prices: CP T14

    ... 08:020549)...Software Description: IBM360/50 and larger models;
FORTRAN IV; OS/360 MVT; About 255K bytes are required with a 10,000
double-word **container** **default**). One peripheral I/O device is required.

DIALOG(R)File 233:Internet & Personal Comp. Abs.

00489612   98IW03-018
  **Solid basic client is born to work offline, and it's free; Microsoft
Internet Explorer 4.01**
   Symoens, Jeff
   InfoWorld , March 2, 1998 , v20 n9 p120, 1 Page(s)
   ISSN: 0199-6649
   Company Name: Microsoft
   URL: http://www.microsoft.com
   Product Name: Microsoft Internet Explorer 4.01; Microsoft Outlook
Express

    ... that Outlook Express does not support synchronization, searching or
filtering, and says that when adding a new IMAP4 mail account, it only

downloads the inbox fol⬤ by **default** . Includes one sc⬤n display.

1/3,K/4   **(Item 2 from file: 233)**
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2000 INFO. TODAY INC. All rts. reserv.

00315663   93PM06-013
  PackRat 5.0 isn't just a PIM, it's a complete app builder
  Burgard, Michael
  PC/Computing , June 1, 1993 , v6 n6 p76, 1 Page(s)
  ISSN: 0899-1847
  Company Name: Polaris Software
  Product Name: PackRat

    ... CA (800). The program, upon installation, launches a SmartStart
feature which asks the user questions about his profession and how he
works, then builds a **default** set of **folders** and objects. Objects can be
resized and moved to customize the screen's appearance, and applications
that are used with a particular project can be...
?

Set	Items	Description
S1	0	AU=BERRY JON?
S2	3	AU="DAY ROBERT"
S3	1	AU="DAY ROBERT F"
S4	0	AU=FLO E?
S5	1	AU="MATTHEWS JOSEPH"
S6	1	AU="MATTHEWS JOSEPH HOWARD III"
S7	1	AU="TURNER RICHARD"
S8	3	AU="TURNER RICHARD S":AU="TURNER RICHARD S C O EASTMAN KOD- AK COMPANY"
S9	10	S1:S8
S10	0	S9 AND DEFAULT?
S11	0	S9 AND (FOLDER? OR DIRECTOR? OR CONTAINER?)
S12	9	DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S13	56	DEFAULT?(2N)DIRECTOR?
S14	9	S12 AND (FILE? OR DOCUMENT?)
S15	8886	(FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA- MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? - OR EVALUAT? OR DETERMIN?)
S16	8609	(FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR DET? ? OR JUDG? - OR RECOGNI? OR CONFIRM?)
S17	4	S14(S)(S15 OR S16)

?t s17/5/all

17/5/1
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

01098005
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Method for transmitting asynchronous data in a home network
Verfahren zur Ubertragung von asynchronen Daten in einem Hausnetzwerk
Procede de transmission de donnees asynchrones dans un reseau domotique
PATENT ASSIGNEE:
   THOMSON multimedia, (1090174), 46 Quai Alphonse Le Gallo, 92100 Boulogne
      Billancourt, (FR), (Applicant designated States: all)
INVENTOR:
   Bichot, Guillaume, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
      Boulogne Cedex, (FR)
   Straub, Gilles, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
      Boulogne Cedex, (FR)
   Fannechere, Nicolas, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
      Boulogne Cedex, (FR)
LEGAL REPRESENTATIVE:
   Ruellan-Lemonnier, Brigitte et al (47341), THOMSON multimedia, 46 quai A.
      Le Gallo, 92648 Boulogne Cedex, (FR)
PATENT (CC, No, Kind, Date):   EP 964559 A1 991215 (Basic)
APPLICATION (CC, No, Date):   EP 98402712 981030;
PRIORITY (CC, No, Date): EP 98402384 980928; EP 98401372 980608
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
   LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04L-029/06; H04L-012/28

ABSTRACT EP 964559 A1
   The invention concerns a method for transmitting data in a home
communication network.
   The network comprises a first device and a second device, wherein said
first device includes means to produce a data packet and said second
device includes means to use said data packet.
   The inventive method is characterised in that it comprises the steps
of:
- opening a connection between said first device and said second device;
- having said second device allocate a message buffer to said connection,

said second device co●nicating the message buffer si●to said first
device;
- having said first device transmit said data packet to said second
device, wherein said data packet is split and sent as payload in
messages, where the size of the payloads is smaller or equal to said
message buffer size.
     The invention applies to home network communications.
ABSTRACT WORD COUNT: 141
NOTE:
     Figure number on first page: 6

     17/5/2

01085283
Method and apparatus for high performance access to data in a message store
Verfahren und Vorrichtung zum Hochleistungszugriff auf Daten in einem
    Nachrichtenspeicher
Procede et dispositif pour acces a haute performance aux donnees dans une
    messagerie
PATENT ASSIGNEE:
  SUN MICROSYSTEMS, INC., (1392733), 901 San Antonio Road, Palo Alto,
    California 94303, (US), (Applicant designated States: all)
INVENTOR:
  Yeager, William J., 620 Berkeley Avenue, Menlo Park, CA 94025, (US)
  Batty, Frederic C., 115 Orchard Avenue, Redwood City, CA 94061, (US)
LEGAL REPRESENTATIVE:
  Browne, Robin Forsythe, Dr. (55142), Urquhart-Dykes & Lord Tower House
    Merrion Way, Leeds LS2 8PA West Yorkshire, (GB)
PATENT (CC, No, Kind, Date): EP 953907 A2   991103 (Basic)
APPLICATION (CC, No, Date):   EP 99303212 990426;
PRIORITY (CC, No, Date): US 67497 980427
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-009/46

ABSTRACT EP 953907 A2
     A method and apparatus are disclosed for accessing messages in a
  message store in a multi-threaded system with reduced contention by first
  determining whether a process is available for accepting a new connection
  and responsibility for that connection is transferred to that process,
  which includes one or more threads. One thread is selected and
  initialized which then manages client requests for accessing messages or
  data in the message store. The thread is terminated when a termination
  request is received or when a predetermined condition has been met. Also
  provided is a computer system for accessing messages in a message store
  in a multi-threaded environment with reduced contention. Clients are
  connected to a connection request router that contains a parent process
  for routing client requests for manipulating data. Also included are
  request handlers associated with the request router where the request
  handlers include a multiplicity of active connection threads. A shared
  memory area associated with the request router contains request handler
  identifiers, thread identifiers, and other activity information that can

be shared by the requ● handlers and their associated●quest router.
ABSTRACT WORD COUNT: 181
NOTE:
   Figure number on first page: 1

17/5/3

00551410
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
System and method for computer aided software engineering.
System und Verfahren fur rechnerunterstutzte Software-Entwicklung.
Systeme et procede pour le genie logiciel assiste par ordinateur.
PATENT ASSIGNEE:
   International Business Machines Corporation, (200120), Old Orchard Road,
      Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
   Chang, Roger A., 4106 Stagecoach Trail, Irving, TX 75061, (US)
   Smith, Andrew J., 101 Oakmont Drive, Trophy Club, TX 76262, (US)
   Torres, Robert J., 6100 Meadowhill Drive, Colleyville, TX 76034, (US)
LEGAL REPRESENTATIVE:
   de Pena, Alain (15151), Compagnie IBM France Departement de Propriete
      Intellectuelle, F-06610 La Gaude, (FR)
PATENT (CC, No, Kind, Date): EP 549510 A2 930630 (Basic)
                              EP 549510 A3 931222
APPLICATION (CC, No, Date):   EP 92480183 921130;
PRIORITY (CC, No, Date): US 811775 911220
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: G06F-009/44;
CITED PATENTS (EP A): EP 319232 A; EP 319232 A
CITED REFERENCES (EP A):
   SPRING COMPCON 89, 34TH IEEE COMPUTER SOCIETY INTERNATIONAL CONFERENCE,
      DIGEST OF PAPERS. 27 February 1989, SAN FRANCISCO, CA, US pages 232 -
      235 W. SCACCHI 'ENGINEERING LARGE-SCALE SOFTWARE SYSTEMS: AN
      ORGANIZATIONAL KNOWLEDGE BASE APPROACH'
   IDEM
   DATABASE WPI Section EI, Week 1089, Derwent Publications Ltd., London,
      GB; Class T01, AN 89-074962
   IBM TECHNICAL DISCLOSURE BULLETIN. vol. 33, no. 6B, November 1990,
      ARMONK, NY, US pages 114 - 117 'DEVELOPER'S DESKTOP'
   IBM TECHNICAL DISCLOSURE BULLETIN. vol. 32, no. 9A, February 1990,
      ARMONK, NY, US pages 250 - 254 'PROJECT MANAGEMENT ENVIRONMENT';

ABSTRACT EP 549510 A2
   A data processing system supports preparation of a software application
by coordinating the efforts of a metaprogrammer and a plurality of system
users responsible to the metaprogrammer. The data processing system
includes a plurality of workstations, each having a display and a user
input device. Each of the workstations is connected to shared memory for
access to data objects stored therein. One data object is a blank project
container which includes a plurality of subject objects relating to
phases in a product life for a software application. Th e metaprogrammer
is authorized to replicate a blank project container to provide a project
specified container available in shared memory to system users selected
to work on a particular software application. The project specific

container includes a [p]rality of subject objects rela[tin]g to phases in a
product life for the software application package. In addition, the
project specified container includes a directory to templates for use in
creating standard software modules and functions selected for use in
generating code for storage in data objects. Data objects are stored in
memory categorized within subject objects of the project container. An
index is generated as data objects are created. Such an index is located
with each subobject with each subject object. Lastly, private instances
of the project container are generated relating to users. Each private
instance includes a subset of the objects within the project container,
selected on the basis of usefulness to the tasks assigned to this
particular user. (see image in original document)
ABSTRACT WORD COUNT: 253

LEGAL STATUS (Type, Pub Date, Kind, Text):
 Application: 930630 A2 Published application (A1with Search Report
                              ;A2without Search Report)
 Search Report: 931222 A3 Separate publication of the European or
                              International search report
 Examination: 931222 A2 Date of filing of request for examination:
                              931021
 Withdrawal: 961204 A2 Date on which the European patent application
                              was withdrawn: 961015
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
     CLAIMS A (English) EPABF1   1412
     SPEC A   (English) EPABF1   5263
Total word count - document A   6675
Total word count - document B   0
Total word count - documents A + B   6675

17/5/4
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00551324
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Container object management system
System zur Verwaltung von "Behalter" Datenobjekten
Systeme de gestion d'objets "recipients"
PATENT ASSIGNEE:
  International Business Machines Corporation, (200120), Old Orchard Road,
    Armonk, N.Y. 10504, (US), (Proprietor designated states: all)
INVENTOR:
  Miller, Patrice R., 986 Quail Ridge, Keller, Texas 76248, (US)
  Miller, Wade A., 986 Quail Ridge, Keller, Texas 76248, (US)
  Rayborn, John K., 5631 Southwestern Boulevard, Dallas, Texas 75209, (US)
LEGAL REPRESENTATIVE:
  de Pena, Alain (15151), Compagnie IBM France Departement de Propriete
    Intellectuelle, 06610 La Gaude, (FR)
PATENT (CC, No, Kind, Date): EP 520924 A2 921230 (Basic)
                              EP 520924 A3 930908
                              EP 520924 B1 991117
APPLICATION (CC, No, Date):   EP 92480078 920603;
PRIORITY (CC, No, Date): US 723086 910628
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: G06F-009/44
CITED REFERENCES (EP A):
  HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
    pages 9 - 17 P. S. SHOWMAN 'An Object-Based User Interface for the HP
    NewWave Environment'
  HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
    pages 23 - 31 B. LAM ET AL 'The NewWave Office';
CITED REFERENCES (EP B):
  HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
    pages 9 - 17 P. S. SHOWMAN 'An Object-Based User Interface for the HP

ABSTRACT EP 520924 A2
The method and apparatus of the present invention includes a method for
providing a non-container object with the appearance of container object
attributes in a graphic user interface operating environment. This method
and apparatus includes creating a container manager and associating the
container manager with the non-container object. A container pane is
created and associated with the container manager. This container pane is
in communication with the container manager and a list control in the
graphic user interface operating environment. The container pane in the
container manager both interact to provide the non-container object with
the appearance of the container object attributes. If an item is present
in the non-container object when the non-container object is started, a
contained object is created for the item to be displayed within the
non-container object. Next, if an item is added to the non-container
object, a contained object is created for the item to be displayed within
the non-container object. When an item is removed from the non-container
object, the contained object for the item is deleted. When a contained
object is present, the container manager is provided control over the
display manipulation of the contained object while that contained object
is within the non-container object. Moreover, the container pane
graphically displays an icon that represents the contained object in a
window. The container pane also relays input by a user to the container
manager. (see image in original document)
ABSTRACT WORD COUNT: 239
NOTE:
Figure number on first page: 3

LEGAL STATUS (Type, Pub Date, Kind, Text):
 Application: 921230 A2 Published application (A1with Search Report
                              ;A2without Search Report)
 Examination: 930623 A2 Date of filing of request for examination:
                              930427
 Search Report: 930908 A3 Separate publication of the European or
                              International search report
 Examination: 961211 A2 Date of despatch of first examination report:
                              961025
 Grant: 991117 B1 Granted patent
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
     CLAIMS B (English) 9946   426
     CLAIMS B (German)   9946   472
     CLAIMS B (French)   9946   491
     SPEC B   (English) 9946   5246
Total word count - document A   0
Total word count - document B   6635
Total word count - documents A + B   6635

```
?show files;ds
File 256:SoftBase:Reviews,Companies&Prods. 85-2000/Feb
         (c)2000 Info.Sources Inc
File 278:Microcomputer Software Guide 2000/Jan
         (c) 2000 Reed Elsevier Inc.

Set      Items   Description
S1          5    DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2          8    DEFAULT?(2N)DIRECTOR?
S3         30    DEFAULT? AND (FOLDER? OR CONTAINER?)
S4         87    DEFAULT? AND DIRECTOR?
S5         11    (S1 OR S2) AND (FILE? OR DOCUMENT?)
S6          9    RD (unique items)
?t s6/7/all
```

6/7/1   (Item 1 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00117263   DOCUMENT TYPE: Review

PRODUCT NAMES: Computer Security   (830071); Internet Marketing   (835552)

TITLE: IT cracks down on site hackers
AUTHOR: Neil, Stephanie Kerstetter, Jim
SOURCE: PC Week,   v16 n23 p18(1) Jun 7, 1999
ISSN: 0740-1604
HOMEPAGE: http://www.pcweek.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

BellSouth and other companies/organizations have recently been made aware
of the significant damage that hackers can do to a nascent electronic
business if they destroy customers' confidence in the site. BellSouth's
site was hacked on New Year's day, and the site had to be shut down for
repair. The FBI's site was also flooded with hackers who forced it offline
for several days in June 1999. Because corporate Web sites, say industry
experts, are generally vulnerable due to human error, site owners are
advised to take the following precautions to protect their sites: limit
document directory access; use a good firewall and staging server for new
World Wide Web content; refresh static sites with an automated process and
backup site **directory** ; change **default** settings on the Web server and
eliminate unused Web application scripts; use network sniffer tools to
monitor the server for odd traffic or unauthorized access; check site
security against known risks; and use security mailing lists to stay
abreast of new security problems. Charles Schwab addresses the problem by
using dedicated security experts who work in a highly objective way to fend
off hacks. Most IT managers are reassessing corporate security frameworks
in order to ensure customer loyalty. For instance, Oppenheimer Funds
controls $114 billion of other people's money, and takes the possibility of
a hack very seriously.

REVISION DATE: 19990830

6/7/2   (Item 2 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00101721   DOCUMENT TYPE: Review

PRODUCT NAMES: QuickMail Pro 1.0.1 Windows   (630632)

TITLE: QuickMail Migrates From the Mac
AUTHOR: Levitan, Arlan
SOURCE: Computer Shopper,   v17 n6 p633(1) Jun 1997

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

CE Software's QuickMail Pro 1.0.1, a Windows PC-based version of the e-mail package that has been popular with Macintosh users for many years, allows Macintosh users to easily migrate to the PC platform. PC users on the Internet who need e-mail can use it as a low-cost, versatile, and intuitive mail system. All the features that made QuickMail a Macintosh favorite are included. Users set it up by adding four data items: Post Office Protocol 3 (POP3) and Simple Message Transfer Protocol (SMTP) server names, POP3 account, and password. The graphical user interface (GUI) is easy-to-use and uncluttered, and uses easily understood, colorful cartoon-type icons that give it a light touch. Inbox, Outbox, Sent Items, and Trash are the **default   folders** provided; users can also create customized individual folders. The screen cannot be divided in half with separate windows for message headers and review. Rather, a neat MessagePeek feature shows the first eight lines of a message when the user clicks the right mouse button. MailManager is a rule-based filter that **files** , forwards, and performs other functions. Users can frame newly created messages with too-cute graphics. **File** attachments are allowed, and the Search facility provided is excellent. Error reporting may be too slow for some users.

REVISION DATE: 19990830

 6/7/3   **(Item 3 from file: 256)**
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00098271   DOCUMENT TYPE: Review

PRODUCT NAMES: Wav Live Objects 1 Macintosh Beta   (632473)

TITLE: Componentized WAV of the Future
AUTHOR: Thompson, Tom
SOURCE: Byte,   v21 n11 p49(1) Nov 1996
ISSN: 0360-5280
HOMEPAGE: http://www.byte.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

Digital Harbor's Wav Live Objects 1 Beta (WAV), an OpenDoc word processor, gets excellent marks for technology and a good rating for implementation. Tests of a beta release demonstrate a streamlined, powerful feature set, without unnecessary wizards and other features that can make code too big. Text features include standard formatting, including typeface selection and styling; a word count command; and advanced layout features, including text in columns and flexible text spacing. WAV provides conversion filters for WordPerfect 3.x, Microsoft Word 4.x, and Word 5.x. The FolderBay function combines operations and content into virtual `folders' which are opened by clicking tabs. **Default   folders** are provided for text functions, the CyberDog Internet tool suite, and added OpenDoc components. Users can add project folder tabs to organize work **documents** . OpenDoc implementation focuses around **documents** for creation and data handling. WAV integrates effectively with other OpenDoc parts, and if CyberDog is installed, functions are quickly accessible from WAV's CyberDog tab. WAV is an example of online publishing tools of the future where users construct **documents** with dynamic links to data on the World Wide Web.

REVISION DATE: 19980830

00095890   DOCUMENT TYPE: Review

PRODUCT NAMES: WebWhacker 2.0   (600431)

TITLE: Shareware Shop: Tweaking Web Browsers to Get More out of Time S..
AUTHOR: Gralla, Preston
SOURCE: Computer Shopper,   v16 n10 p642(2) Oct 1996
ISSN: 0886-0556
HOMEPAGE: http://www.cshopper.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Several shareware companion programs are available on the Web that enhance
the functionality of the Netscape and Microsoft browsers. EZ Download 96,
from MMMMM Software, simplifies the process of downloading a **file** via the
Internet with Netscape. The Navigator plug-in works automatically,
launching itself whenever the user downloads a ZIP **file** with Navigator.
It downloads the **files** to a **default   directory** , automatically unzips
them, and runs a virus check. Viable Software Alternatives' SurfSilly adds
an efficient bookmark feature to the browser. A convenient bar appears on
top of the screen, divided into sections that can be labeled with different
topic headings. Each section forms a repository for different types of
URLs. R. Hunter Gordon's QuikLink Explorer also replaces the traditional
bookmark function, making it simpler to add and maintain sites. The utility
looks like the Windows 95 Explorer, and organizes sites by folders and
allows users to navigate, cut, and paste in the same manner as the Explorer
utility. Info Evolution's UnMozify Cache Manager works with the Netscape
Navigator cache to allow users to view the cached sites easily while
offline. ForeFront Group's WebWhacker 2.0 lets users download a Web page,
complete with hyperlinks and inline graphics, for later offline viewing.

REVISION DATE: 19990130

00087781   DOCUMENT TYPE: Review

**PRODUCT NAMES: Microsoft Windows 95   (551473); Microsoft Windows 95
(740896)**

TITLE: Windows 95 at Warp Speed
AUTHOR: Dunn, Scott Li-Ron, Yael Spanbauer, Scott
SOURCE: PC World,   v14 n4 p116(7) Apr 1996
ISSN: 0737-8939
HOMEPAGE: http://www.pcworld.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

There are plenty of ways to make Microsoft's Windows 95 operating system
faster and easier to use. The **file** structure now uses folders instead of
directories. Creating a new folder called Data or **Documents** is a good way
to start organizing. Within the Data folder, subfolders can be created for
further organization. The folders and subfolders can be easily moved around
to create the most optimal filing system. Although Microsoft Office creates
a **default   folder** called My **Documents** , Windows has no such default.
The long **file** names can be a significant help in finding the right **file**
, although excessively long **file** names can slow a user down. Hotkeys can

be assigned to any Short🔴 on the desktop so a program c🔴be launched without even clicking the mouse once. Also, in order to provide for effective multitasking, adequate hard disk space should be left open for the dynamic swap **file** .

REVISION DATE: 19990430

6/7/6   **(Item 6 from file: 256)**
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00081743   DOCUMENT TYPE: Review

PRODUCT NAMES: UniMaint 4.0 OS/2   (578827)

TITLE: UniMaint an essential bundle of primo OS/2 utilities
AUTHOR: Hollander, Geoffrey
SOURCE: InfoWorld,   v17 n37 p100(1) Sep 11, 1995
ISSN: 0199-6649
HOMEPAGE: http://www.infoworld.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

SofTouch Systems' UniMaint 4.0 for OS/2, a highly-recommended system utilities package, gets a thumbs up for its safe storage of OS/2 binary format configuration **files** and system tuning/optimization features. The product's central IniMaint module does diagnostics on OS/2 INI **files** to find and fix outdated references to **files** , paths, old PM ProgramList entries, and other items. In Reporting Mode, IniMaint locates and lists INI problems for the user's perusal. The user can then follow IniMaint recommendations or not; IniMaint can also automatically optimize the system itself. MultiMaint and WorkPlace Shell utilities backup the Desktop, INI **files** , or both, allowing users a choice of supplemental or full backup; **default** storage **directories** ; and up to 100 backup generation cycles. Uninstall removes OS/2 applications, taking out all program modules, **files** , and other items, including Dynamic Link Libraries (DLLs) and OS/2 INI entries.

REVISION DATE: 19951230

6/7/7   **(Item 7 from file: 256)**
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00053430   DOCUMENT TYPE: Review

PRODUCT NAMES: FasTrak   (465518)

TITLE: Development Tool Set Eases OS-9 Network-Software Programming
AUTHOR: Titus, Jon
SOURCE: EDN - Magazine Edition,   v38 n8 p99(1) Apr 15, 1993
ISSN: 0012-7515
HOMEPAGE: http://www.ednmag.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Microware Systems Corporation's Fastrak is a programming toolkit that greatly streamlines the development of OS-9 software across a TCP/IP network. UNIX-based Fastrak is comprised of Fastrak Workbench, Text Editor, Makefile Editor, Fastfix Debugger, and Target Monitor, together which supply a comprehensive environment for building and executing OS/9 programs, manipulating **files** and **directories** , setting **defaults** , and

running other software t●●s concurrently. Fastrak also i●●udes the Ultra
C compiler, which supports local, global, and interprocedural
optimizations. A Windows/DOS version of Fastrak is expected by mid-1993.

REVISION DATE: 19940330

  6/7/8   (Item 8 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00042535   DOCUMENT TYPE: Review

PRODUCT NAMES: WindowBase 1.5   (338206)

TITLE: WindowBased Access to SQL and DBF Data
AUTHOR: Mueller, John
SOURCE: Data Based Advisor,   v10 n9 p100(1) Sep 1992
ISSN: 0740-5200
HOMEPAGE: http://www.advisor.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

WindowBase 1.5, an SQL database management system, works very well for
corporate enterprise environments where many users must gain access to data
in various SQL, Btrieve, and dBASE III PLUS database **files** .   SQL
statements provide access to the data, and ASCII and DIF **files** can be
imported or exported. The familiar Windows icon toolbar allows the user to
switch between functions, and a query-by-example facility makes for ease of
use. Single user mode logon is automatic, a big improvement over older
versions. However, no programming language is supplied, and installation to
any **directory** but the **default** is very difficult. The product is
unreservedly recommended for all corporate users that need to be able to
use more than one data format.

REVISION DATE: 19990530

  6/7/9   (Item 9 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00031218   DOCUMENT TYPE: Review

PRODUCT NAMES: AutoCAD 11   (004665)

TITLE: Network Plotting
AUTHOR: Billing, Kenneth W.
SOURCE: Cadence,   v7 n1 p53(3) Jan 1992
ISSN: 0887-9141
HOMEPAGE: http://www.cadence-mag.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Network plotting is an automatic process with AutoCAD 11's AutoSpool
feature which creates links between AutoCAD and an external network
printing command, and uses a third-party plot spooler. AutoCAD uses the
default plot spooler **directory** when plotting to a **file** via AutoSpool.
The directory must exist before plotting or AutoCAD will not be able to
create a plot **file** and will disable spooling. The DOS and UNIX versions
of AutoCAD Release 11 can link the default plot **filename** and an ACAD.PGP
command through one of two environment variables to make network plotting
transparent and automatic without extra software. Set up properly, AutoCAD
vectorizes a drawing into plotter commands and sends them to the plot

spooler directory with a ⬤ique name. The technique does ⬤t work with
real-mode ADI plotter or printer drivers. Plot spoolers for AutoCAD work
just as well for managing network plotting as they do for individual
workstation plotting.

REVISION DATE: 19990530
?

```
?show files;ds
File 613:PR Newswire 1999-2000/Mar 02
        (c) 2000 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
        (c) 1999 PR Newswire Association Inc

Set     Items    Description
S1          1    DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2         20    DEFAULT?(2N)(DIRECTOR?)
S3         21    S1 OR S2
S4          4    S3(S)(FILE? OR DOCUMENT?)
S5          4    RD (unique items)
?s s5 and py<1999
            4    S5
      1366548    PY<1999
    S6      4    S5 AND PY<1999
?show files;ds
File 613:PR Newswire 1999-2000/Mar 02
        (c) 2000 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
        (c) 1999 PR Newswire Association Inc

Set     Items    Description
S1          1    DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2         20    DEFAULT?(2N)(DIRECTOR?)
S3         21    S1 OR S2
S4          4    S3(S)(FILE? OR DOCUMENT?)
S5          4    RD (unique items)
S6          4    S5 AND PY<1999
?t s6/3,k/all
```

6/3,K/1   (Item 1 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1368307   HSSA001
**Central Command Warns of New Scripting Virus 'WinScript.Rabbit' That
    Infects Windows 95, Windows 98, and Windows NT and Travels Through the
    Internet**

DATE: October 31, 1998   06:00 EST   WORD COUNT: 429

... immediately reveal it's presence on a infected system. When a web
browser executes the virus from the remote web server, the virus infects
all **files** in the local web browsers cache and copies them to the
computers desktop, since the **default directory** is the computers
desktop. When this happens the desktop becomes filled with icons from the
infected scripts. Despite these obvious errors the simplicity of the...

6/3,K/2   (Item 2 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1199466   NYF083
Worm Alert From Dr Solomon's

DATE: December 12, 1997   14:18 EST   WORD COUNT: 643

...be noted that the user has to accept the download to become infected.

    The easiest solution to this type of attack is to change the **default
    save directory** (usually C: mirc) to any other directory (use
DCC/Options/Dirs). This stops the worm from overwriting your default script
    file (SCRIPT.INI) which is how it gets control of your system.

    Dr Solomon's has put an extra driver on its website called EXTRA.DRV...

6/3,K/3   (Item 3 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0812217   SJ011
**PACIFIC MICROELECTRONICS: MAC-IN-DOS FOR WINDOWS VERSION 2.2 OFFERS NEW
    FEATURES**

DATE: April 25, 1995   19:28 EDT   WORD COUNT:· 370

...and improved overall performance. Other improvements in the
new version include the capability of copying and deleting whole
directories and sub directories and designating a **default** DOS **directory**
in which to copy Macintosh **files** . PC to Macintosh **file** transfers are
easier, too, as all methods of attaching Mac finder information to a
 file have been consolidated in one option and the finder array of
popular **file** types has been updated.

    The new Mac-In-DOS for Windows offers improved features for
transferring MacBinary files from Macintosh to PC by modem or...

6/3,K/4   (Item 4 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0372598   LA003
**VISION TECHNOLOGIES INTERNATIONAL INC. WINS SUMMARY ADJUDICATION AGAINST
    STAAR DIRECTORS**

DATE: May 21, 1991   11:02 EDT   WORD COUNT: 311

...Surgical Co. has been granted by the Superior Court in Los Angeles.
VTI had previously loaned certain directors of STAAR Surgical
approximately $325,000. Upon **default** by the **directors** , VTI **filed** a
claim for repayment. VTI's motion for Summary Adjudication of Issues
has been granted as to the liability of Lamar Laster and John Wolf...

```
?show files;ds
File    9:Business & Industry(R) Jul/1994-2000/Mar 02
           (c) 2000 Resp. DB Svcs.
File   15:ABI/INFORM(R) 1971-2000/Mar 02
           (c) 2000 Bell & Howell
File   16:Gale Group PROMT(R) 1990-2000/Mar 02
           (c) 2000 The Gale Group
File  160:Gale Group PROMT(R) 1972-1989
           (c) 1999 The Gale Group
File   47:Gale Group Magazine DB(TM) 1959-2000/Mar 02
           (c) 2000 The Gale group
File   88:Gale Group Business A.R.T.S. 1976-2000/Mar 02
           (c) 2000 The Gale Group
File   98:General Sci Abs/Full-Text 1984-1999/Oct
           (c) 1999 The HW Wilson Co.
File  141:Readers Guide 1983-2000/Nov
           (c) 2000 The HW Wilson Co
File  148:Gale Group Trade & Industry DB 1976-2000/Mar 02
           (c)2000 The Gale Group
File  275:Gale Group Computer DB(TM) 1983-2000/Mar 02
           (c) 2000 The Gale Group
File  484:Periodical Abstracts Plustext 1986-1999/Nov W3
           (c) 1999 Bell & Howell
File  553:Wilson Bus. Abs. FullText 1982-1999/Sep
           (c) 1999 The HW Wilson Co
File  570:Gale Group MARS(R) 1984-2000/Mar 02
           (c) 2000 The Gale Group
File  583:Gale Group Globalbase(TM) 1986-2000/Mar 02
           (c) 2000 The Gale Group
File  608:KR/T Bus.News. 1992-2000/Mar 02
           (c)2000 Knight Ridder/Tribune Bus News
File  613:PR Newswire 1999-2000/Mar 02
           (c) 2000 PR Newswire Association Inc
File  621:Gale Group New Prod.Annou.(R) 1985-2000/Mar 02
           (c) 2000 The Gale Group
File  624:McGraw-Hill Publications 1985-2000/Mar 02
           (c) 2000 McGraw-Hill Co. Inc
File  634:San Jose Mercury  Jun 1985-2000/Feb 28
           (c) 2000 San Jose Mercury News
File  635:Business Dateline(R) 1985-1999/Nov 17
           (c) 1999 Bell & Howell
File  636:Gale Group Newsletter DB(TM) 1987-2000/Mar 02
           (c) 2000 The Gale Group
File  647:CMP  Computer Fulltext 1988-2000/Feb W3
           (c) 2000 CMP
File  674:Computer News Fulltext 1989-2000/Feb W3
           (c) 2000 IDG Communications
File  810:Business Wire 1986-1999/Feb 28
           (c) 1999 Business Wire


Set     Items    Description
S1        448    DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2       1886    DEFAULT?(2N)DIRECTOR?
S3     193687    (FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA-
                 MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? -
                 OR EVALUAT? OR DETERMIN?)
S4     119224    (FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR
                 DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR JUDG? OR RECOGNI?
                 OR CONFIRM?)
S5        213    S1 AND (S3 OR S4)
S6     156903    (FILE? OR DOCUMENT?)(3N)(MARK OR MARKED OR MARKS OR MARKIN-
                 G? OR EXTENSION? OR IDENTIF? OR DESIGNAT? OR SPECIF? OR SELEC-
                 T? OR ASSIGN??? ? OR PICK OR PICKS OR PICKED OR PICKING? OR I-
                 NDICAT? OR INSPECT?)
S7         35    S1(S)(S3 OR S4)
S8        252    S2(S)(S3 OR S4)
S9         12    S7(S)S6
S10        10    RD (unique items)
```

```
S11        70    S8(S)S6●
S12        47    RD (unique items)
S13        46    S12 NOT S10
S14        43    S13 AND PY<1999
S15         7    S10 AND PY<1999
```

15/3,K/1   (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

05110048   Supplier Number: 47802507 (USE FORMAT 7 FOR FULLTEXT)
Work Smarter! Tips and Tricks for Architects
Krupa, Ken; Solomon, Jonathan
Cadence, p034
July, 1997
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 5686

...   are using is created parametrically by a function, then you may or
may not be able to change the scale of the object. You can **look** in the
default **files** (DFL) to see if the object has a default scale that is read
by the function creating the object. The DFL files are in the ARCHT
DEFAULT   folder or directory and are organized by division. Be sure to
check all the **files** for your object if you don't find it where you would
expect to-some division 01 objects are scaled in MISC.DFL, for example. The
second tier of scale factors comes from the use of table **files** that
display a **selection** for you to make for the insertion of a Unit object.
There are tables that correspond to uniform x-y-z scaling (unit 1), x...
 19970701

15/3,K/2   (Item 1 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

05433042   SUPPLIER NUMBER: 20631250   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Torn Between Two Web Browsers.(Moving from one browser to another,
 Microsoft Internet Explorer and Netscape Navigator.) (Product Support)
Martin, James A.
PC World, v16, n6, p45(1)
June, 1998
ISSN: 0737-8939   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1003   LINE COUNT: 00080

...   you have both browsers installed on your system, you can open the
Netscape bookmark file in IE 3.x or 4.x. To do this, **select   File**
*Open*Browse; choose the hard drive where your application files are
stored; and navigate through the following folders: Program Files,
Netscape, User, and Your Name. You'll **find** the Netscape bookmark **file**
(in HTML format) in the **Defaults   folder** . IE displays this file as a
page, with all the bookmarks available as active links. Clicking on any
link opens the site in IE, at...

 19980601

15/3,K/3   (Item 1 from file: 141)
DIALOG(R)File 141:Readers Guide

03788160   H.W. WILSON RECORD NUMBER: BRGA98038160   (USE FORMAT 7 FOR
FULLTEXT)
Torn between two Web browsers.
AUGMENTED TITLE: experience of D. Sears
Martin, James A.
PC World (PC World) v. 16 no6 (June '98) p. 45-6
WORD COUNT: 929

   (USE FORMAT 7 FOR FULLTEXT)

TEXT:
...   you have both browsers installed on your system, you can open the

Netscape bookmark file IE 3.x or 4.x. To do this, sel File
*Open*Browse; choose the hard drive where your application files are
stored; and navigate through the following folders: Program Files,
Netscape, User, and Your Name. You'll **find** the Netscape bookmark **file**
(in HTML format) in the **Defaults** folder . IE displays this file as a
page, with all the bookmarks available as active links. Clicking on any
link opens the site in IE, at...
  1998

  15/3,K/4   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

10311608   SUPPLIER NUMBER: 20889863   (USE FORMAT 7 OR 9 FOR FULL TEXT)
98 tips for using Windows 98. (Product Information)
Cheek, Michael; Byrne, Jason; Breeden Ii, John
Government Computer News, v17, n19, p31(1)
June 29, 1998
ISSN: 0738-4300   LANGUAGE: English   RECORD TYPE: Fulltext
WORD COUNT: 5625   LINE COUNT: 00457

...   all the other folders and subfolders? Under View on the menu again,
select Folder Options. Then click the View tab, which is between General
and **File   Types** . **Select** the button at the top that says "Like current
folder," and that will format all the other folders like the My Computer
folder already open. Clicking on the Reset all folders button will set all
the **folders** to their **default** Web display setting.
     Tip 62: Users of Win95 Plus pack may be familiar with Desktop Themes,
which change icons, backgrounds, sounds and cursors to make...

  19980629

  15/3,K/5   (Item 1 from file: 608)
DIALOG(R)File 608:KR/T Bus.News.
(c)2000 Knight Ridder/Tribune Bus News. All rts. reserv.

06576974   (USE FORMAT 7 OR 9 FOR FULLTEXT)
The Arizona Republic Computer Answer Files Column
The Arizona Republic
August 03, 1998
DOCUMENT TYPE: NEWSPAPER   RECORD TYPE: FULLTEXT   LANGUAGE: ENGLISH
WORD COUNT: 1266

...TEXT: display a box that allows you to choose a file to open. Toward
the bottom of this box will be an option for setting the **file**   type to
be opened. Usually, when you click on the down arrow to the right of the
current **file**   type , a scroll box will open with all the different **file**
 types available for conversion. **Find** the **file**   type that applies to
the program from which you are trying to convert and select it.
     For instance, since you are trying to convert Microsoft Works...

...look in the drive (C:, D:, A:, etc.) and/or folder or directory (C:
MSWorks, C:
My Files, etc.) that contains your Works files. The **default   folder** that
you will start in will contain Word documents, therefore you will not see
files to open until you **locate** the Works **documents** with the .wps **file**
 extension . Click on the down arrow on the right side of the "Look In" box
to get to your old **file**   location . Once you have found your files,
simply double click on the file to be opened and Microsoft Word will
automatically convert the file from the...

...be lost in the Word document but all of the text should be there.
    If you have a program that is not listed in the **File   Type** option
there are two other options you can try.
     The first is to choose All **Files** (*.*). Proceed to the **location** of
your **files** and double click on one to see if the conversion program can

identify the **file** properly on its own.
    If this does not work, another option is to go back to the original
program, pull up a file and use...

1998

15/3,K/6   (Item 2 from file: 608)
DIALOG(R)File 608:KR/T Bus.News.
(c)2000 Knight Ridder/Tribune Bus News. All rts. reserv.

643551   Story Number: 9745   (USE FORMAT 7 OR 9 FOR FULLTEXT)
THE ARIZONA REPUBLIC KEN COLBURN COLUMN
Ken Colburn
Arizona Republic
Apr 06, 1998 18:47 E.T.
DOCUMENT TYPE: Newspaper   RECORD TYPE: Fulltext   LANGUAGE: English
WORD COUNT: 0743

...TEXT: you've made your changes, click the Default button. The changes
will take effect next time you start a document.
    Word uses the My Documents **folder** as the **default** for opening and
saving documents. But you can use any folder you like. Here's how: Click
the Tools menu and choose Options. Tab over to **File   Locations** . **Select**
 Documents and click Modify. Use the Modify Location dialog box to locate
the folder you want to use, then click OK.
    Ken Colburn is a computer...

1998

15/3,K/7   (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01151633   CMP ACCESSION NUMBER: WIN19980201S0110
WinTips - Web (WinTips)
WINDOWS MAGAZINE, **1998** , n 902, PG274
PUBLICATION DATE: 980201
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: FYI
WORD COUNT: 526

, 1998
    Since Navigator stores bookmarks as an HTML file, it's easy to
access them within Internet Explorer. Open the bookmark **file** (you'll
usually **find** it in your Communicator **folder** , under Program/**Defaults** /
bookmark.htm) within IE. When the **file** displays in IE, **select**
Favorites/Add to Favorites.
    Revert to Plain Text
    Each entry in the Outlook Express address book lets you specify
whether to send e-mail to...
?t s14/3,k/all

14/3,K/1   (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

01654295   Supplier Number: 42050173   (USE FORMAT 7 FOR FULLTEXT)
Better Menus for Windows
Network Computing, p30
May, 1991
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1320

...   administrators in changing these Windows system files.
    INIMAN is a standalone application that helps administrators update.
INI files on the network. It uses a separate **file** with a .DEF **extension**
, which may be located anywhere in the administrator's path, that can
contain conditional statements based on user and group names, allowing
Windows administrators to use a single .DEF file to change many users' .INI
files and give them all different settings. In order for the administrator
to **find** the .INI **files** , they must be **located** on server directories,
because INIMAN requires the .INI files with which it works to be in its
default   **directory** when it is run.
    If a user or administrator wishes to use INIMAN to update INI files on
a local hard disk, he or she...
19910501

14/3,K/2   (Item 1 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

05278231   SUPPLIER NUMBER: 53349750   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Digital Shorthand.
BRADLEY, HELEN
Home Office Computing, 116(1)
Dec, 1998
ISSN: 0899-7373   LANGUAGE: English   RECORD TYPE: Fulltext
WORD COUNT: 838   LINE COUNT: 00064

...   linking the image to a document rather than inserting it. When you
select Insert, Picture, From File, select Link to File and deselect Save
With **Document** before **selecting** Insert.
    Document change Word's default **file**   location is the My
Documents folder, but you can easily change this. Select Tools, Options,
and then the **File**   **Locations** tab. Click on **Documents** from the list,
then the Modify button, and select your new **default**   **directory** or click
the Create New Folder button to create one as you go.
    Move quickly To add extra space before a paragraph, place the
insertion...

19981200

14/3,K/3   (Item 2 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04692056   SUPPLIER NUMBER: 19134604   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Undocumented secrets: 101 tips for Windows 95, NT, and 3.x. (Product
 Support)(Cover Story)
Ryan, Valerie Murray; Miller, Ben
PC World, v15, n3, p121(10)
March, 1997
DOCUMENT TYPE: Cover Story   ISSN: 0737-8939   LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 6265   LINE COUNT: 00461

...   application, and it may take a bit of looking to figure it out. For

instance, in Microsoft ●d for Windows, select Tools*Op●ns, click the
File   Locations tab, and modify the Documents option. In Excel, it's
again Tools*Options, but you click the General tab and enter the correct
path into the Default **File   Location** field. In Lotus Approach, you
select   File *User Setup*Approach Preferences, click the General tab,
click **Default   Directories** , and fill in the information.
     81. Data Central, Part 3. If an application doesn't offer a way to
change its working directory (folder), try...

19970300

14/3,K/4   (Item 3 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04565368   SUPPLIER NUMBER: 18593503
Take my advice. . . Please.(Net Traveler) (Internet/Web/Online Service
  Information)(Column)
Swaine, Michael
MacUser, v12, n10, p111(1)
Oct, 1996
DOCUMENT TYPE: Column   ISSN: 0884-0997   LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 8277   LINE COUNT: 00780

...   in through the lobby. In this case, you'll be attaching to the Web
server on port 1492 of www.test.org.
     You'll be **looking** at a **file** that's **located** in the **files**
directory, which is itself located inside the test directory. If a URL
doesn't have a file named after the last slash, you'll either receive a
list of all the files in a directory or will automatically be sent a
specific   file in that **directory** by **default** .
     The beginning of a URL tells you what sort of connection you need.
Here, http: signifies a World Wide Web connection.
     This is the file...

19961000

14/3,K/5   (Item 4 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04359321   SUPPLIER NUMBER: 17424984   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Match files in two directories. (WMatch utility)(PC Tech:
  Utilities)(includes related article on guide to utilities and how to get
  them)(Column)
Mefford, Michael J.
PC Magazine, v14, n19, p409(14)
Nov 7, 1995
DOCUMENT TYPE: Column   ISSN: 0888-8507   LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 7536   LINE COUNT: 00677

...   by selecting Directory under the File menu. A Directory dialog box
will pop up (see Figure 1).
     Note that the "Files:" edit box in the **Directory** dialog **defaults**
to "*.*" so that all **files** in the **selected** directory will be listed.
Change this filespec if you wish to restrict the **files** listed to certain
types . For example, to list only backup files or text files, change the
filespec to *.BAK or *.TXT. Select a directory and click on OK to...

19951107

14/3,K/6   (Item 5 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04152658   SUPPLIER NUMBER: 16179371   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Good ideas. (Lotus 1-2-3 tip) (Lotus special section)
PC World, v12, n11, pL31(1)
Nov, 1994
ISSN: 0737-8939   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 215   LINE COUNT: 00015

     More than once I've overwritten a **file** on disk by selecting /**File**
/Save and then quickly pressing <Enter> and selecting Replace. When you
save a worksheet for the first time, 1-2-3 automatically supplies the first
file name in your **default** **directory** . If you press <Enter> and select
Replace instead of entering a new file name, 1-2-3 overwrites the file on
disk with the contents...

...the current file. To avoid this, I saved a blank worksheet with the name
000BLANK.WK1; this is now the first file name in the **default** **directory** ,
and it appears when I **select** File /Save. If I accidentally select
Replace, 1-2-3 saves the current worksheet with the name 000BLANK.WK1.
Check the **file** names in the current directory to be sure the name of
your blank file displays first.
     Ken Hundley, Cherry Valley, California
     Editor's note: In...

     19941100

     14/3,K/7   (Item 6 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04152640   SUPPLIER NUMBER: 16175475   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Star-dot-star tips. (Here's How) (Column)
Glass, Brett
PC World, v12, n11, p291(3)
Nov, 1994
DOCUMENT TYPE: Column   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1695   LINE COUNT: 00126

...   character (usually an arrow pointing to the left) due to the EOF
character. Next the batch file runs PRN2FAX and sends the output to a **file**
 called SENDME.DCX, **located** in a convenient place--the fax program's
OUTBOX directory. This is the **default** **directory** where you **pick** **files**
 to send, so it's easy to select and send the letter. Finally, the batch
file cleans up by deleting the temporary file.
     Heather Moore...

     19941100

     14/3,K/8   (Item 7 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)

04126332   SUPPLIER NUMBER: 16066646   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Word processing Q&A. (Here's How) (question-and-answer) (Column)
Campbell, George
PC World, v12, n7, p246(3)
July, 1994
DOCUMENT TYPE: Column   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1782   LINE COUNT: 00132

...   isn't the case, however, your only choice is to delete or rename
the file.
     To do this, exit WordPerfect, and then use the Windows **File** Manager

to **locate** the **file** . (should be in the directory that you **specified**
for initialization **files** when you installed WordPerfect; the **default**
directory is C:\WPWIN60.) Highlight the **file** name, and then **select**
File /Delete. You can now restart WordPerfect, which should run normally.
     There's just one problem: The program reverts to its factory-set
defaults and you...

19940700

14/3,K/9   **(Item 8 from file: 47)**
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04047601   SUPPLIER NUMBER: 15051139   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Simplify your data management with Approach. (Lotus Development Corp.'s
 Approach database management system) (includes related articles on
 definitions for terms used in Approach, on Approach features and on why
 user applications) (Tutorial)
Robinson, Celeste
PC World, v12, n3, pL4(5)
March, 1994
DOCUMENT TYPE: Tutorial   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2892   LINE COUNT: 00209

...   is how easily it accepts data from just about any popular database
program. But you can create your own data files with Approach as well.
    Select **File** /New and type a new **file** name, **specifying** the
appropriate drive and **directory** . The **default** **file** **type** is dBASE IV;
change the **file** **type** to dBASE III+ or FoxPro or Paradox if you need to.
When you click OK, the Field Definition dialog box appears. For each field
you...

19940300

14/3,K/10   **(Item 9·from file: 47)**
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03961503   SUPPLIER NUMBER: 14422254   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Word processing. (Solutions; question-and-answer)
Christenson, Larry; Stone, M. David; Kirste, Willard, Jr.
PC Magazine, v12, n18, p383(2)
Oct 26, 1993
ISSN: 0888-8507   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 1781   LINE COUNT: 00127

...   the Option text box, typing the appropriate path in the Setting
text box, and choosing set.
    WinWord will use the DOC-Path entry as its **default** data **directory**
no matter how you start the program--even if you start it from File
Manager, or start it from Program Manager using an icon that loads a
specific **file** . If you only have one data directory or you absolutely
want WinWord to start in the same directory every time, this method is your
ticket. However, unless you have very few data files, it makes more sense
to divide your files into directories--by project, client, **type** of **file**
, or any other way that makes sense for the way you work.
    If you use the Working Directory entry to define the default data file
...

19931026

14/3,K/11   **(Item 10 from file: 47)**
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03893206   SUPPLIER NUMBER: 13647947   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Optimize your 3-D worksheet for easy data entry. (includes related articles
 on setting up a 3-D expense account worksheet and on moving around in a
 multisheet file) (Lotus: News You Can Use about 1-2-3 and Companion
 Products) (Tutorial)
Klamon, Donald E.
PC World, v11, n4, pL18(5)
April, 1993
DOCUMENT TYPE: Tutorial   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2859   LINE COUNT: 00232

...   ACCOUNTS,2)
    D:I28@COORD(DEPT-SHEET,DATE-COLUMN,ACCT-ROW,8)
    D:I31@STRING(INPUTVALUE,0)
    7. Save the file
    In 1-2-3 **select** /FileoSave , **type** a **file** name that isn't listed
in the **default** directory , and press <Enter>.
    In 1-2-3/W select FileoSave As, type a file name, and click OK.
    RELATED ARTICLE: MOVING AROUND IN A MULTISHEET...

    19930400

    14/3,K/12   (Item 11 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03862198   SUPPLIER NUMBER: 13406393   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Find the best after-tax yield. (an easy-to-use Lotus Development Corp.
 1-2-3 spreadsheet model for identifying good investments)(includes
 related article about how to use the model presented to maximize net
 yield on savings) (Lotus: Getting the Most From 1-2-3 & Other Lotus
 Software) (Tutorial)
Chen, Helen
PC World, v11, n2, pS19(4)
Feb, 1993
DOCUMENT TYPE: Tutorial   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2580   LINE COUNT: 00193

...   8)
    B25   +B16*(1-B23)
    Copy range B23..B25 to range C23..E23.
    8. Save the file
    To save the template with its formulas intact, **select** /File *Save,
type a **file** name that isn't already listed in the **default** directory ,
and press <Enter>. In 1-2-3/W, **select** **File** *Save As, enter a file name
not listed in the directory, and click OK.
    19930200

    14/3,K/13   (Item 12 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03814103   SUPPLIER NUMBER: 13472498   (USE FORMAT 7 OR 9 FOR FULL TEXT)
MicroCal Software. (3-D and contour graphing modules for Origin Technical
 Graphics and Data Analysis graphing software) (Brief Article) (PC World
 Lotus Edition supplement)
PC World, v10, n12, pL4(1)
Dec, 1992
ISSN: 0737-8939   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 670   LINE COUNT: 00057

...   P30..R30)
    P38   +P35+P36

```
P39      +Q8
P40      +P39-P38
P42      +P38/P39
```
8. Save the file To save the template with its formulas intact,
select /**File** *Save (in Symphony, SERVICES***File** *Save), **type** a **file**
name that isn't already listed in the **default** directory , and press
<Enter>. In 1-2-3/W **select** File *Save As, enter a file name not listed
in the directory, and click OK.

19921200

14/3,K/14   (Item 13 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03727349   SUPPLIER NUMBER: 12182334   (USE FORMAT 7 OR 9 FOR FULL TEXT)
50 spreadsheet tips. (Tutorial)
Wood, Christina
PC World, v10, n6, p196(10)
June, 1992
DOCUMENT TYPE: Tutorial   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 5855   LINE COUNT: 00421

...   an empty work space with no worksheet at all, load Excel using
EXCEL/E. You can issue that command at the DOS prompt or after **selecting**
File *Run in Windows. (Or create an icon in Windows to do this for you. See
the tip "Personal Icons" below.) You can also load Excel using EXCEL/P
directory, where **directory** is the **default** where Excel **looks** for your
files .
     MAKING PICTURE CHARTS
     If you're making a presentation of chicken sales, wouldn't a chart
that stacks up chickens look better than a plain...

19920600

14/3,K/15   (Item 14 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03726236   SUPPLIER NUMBER: 11772212   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Spreadsheets (A..Z): practical tips for building better worksheets.
 (includes related articles with tips on using Microsoft Excel and First
 Byte's Monologue speech-synthesis program) (Tutorial)
Scoville, Richard
PC World, v10, n2, p233(3)
Feb, 1992
DOCUMENT TYPE: Tutorial   ISSN: 0737-8939   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1262   LINE COUNT: 00093

...   C5, B16..C16, and B18..C18. Pretty neat, eh?
     To format your next worksheet quickly, you can transfer the defined
styles. First save this worksheet: **Select** /**File** Save, enter a file name
not already in your **default** directory , and press <Enter>. Then clear
your worksheet with /Worksheet Erase Yes. To use the styles in your new
worksheet, select :Special Import Named-Styles, and **select** the FMT **file**
for the **file** you just saved. **Verify** that your formatting styles are
available by selecting :Named-Styles and examining the menu.
     Questionable Spreadsheets Department
     Q. I read your October column with some...

19920200

14/3,K/16   (Item 15 from file: 47)

03221730   SUPPLIER NUMBER: 07190359   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Background copying without OS-2. (Utilities) (technical)
Boling, Douglas
PC Magazine, v8, n1, p289(12)
Jan 17, 1989
DOCUMENT TYPE: technical   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3157   LINE COUNT: 00233

...   First function to verify that the source filename is valid. If not,
BCOPY prints an error message and terminates. If the source is valid, BCOPY
checks the destination **filename** .
     Just how to **determine** whether the user has **specified** a
destination **file** or just a directory is an interesting problem. BCOPY
assumes that the user has specified only the directory and tries to switch
the **default**   **directory** to the destination name. If no error code is
returned, then the destination must be a directory. If an error is
returned, BCOPY attempts to **find** the **file** using the same First function
used for the source **filename** . If DOS **indicates** that the path is
invalid, then BCOPY will assume that the user has specified an illegal
destination path.
     If DOS indicates that the file could...

19890117

14/3,K/17   (Item 16 from file: 47)

03080154   SUPPLIER NUMBER: 06200964   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**PC-to-Mac data transfers. (three techniques and a new set of tools for file
 transfers between PCs and Macintoshes)**
Seymour, Jim
 PC Magazine, v7, n1, p222(2)
Jan 12, 1988
DOCUMENT TYPE: evaluation   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2033   LINE COUNT: 00148

...   Translators button and then click on the formats of the source and
target files; the choices appear in the two windows.
     Click the Connect button, **select** the **files** on the respective
machines, and click Connect. Bingo: the file is moved and converted (for a
more detailed roadmap, see the review of MacLink Plus). MacLinkPlus shows
you only those files on the PC with the appropriate **filename**   **extensions**
(for example, .DOCs for MultiMate files, .WKS for 1-2-3 spreadsheets, and
so on); you come up in the **default**   **directory** but can move among disk
drives and subdirectories by pointing and clicking. At the Mac end,
MacLinkPlus supports Apple's HFS (Hierarchical File System), so...
...can move among folders and drives the same way. MacLinkPlus even tallies
on-screen possible errors during the translation process and writes an
error-log **file** you can **check** later.
     If you don't want to do the file conversion during transfer--or if
your Mac is connected to a network and you're...

19880112

14/3,K/18   (Item 17 from file: 47)

02949224   SUPPLIER NUMBER: 04803062   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Write-In, PC-based word processor boasts of tight integration with 1-2-3.

...   around the screen. Menu-driven commands handle common editing
functions such as cut-and-paste and text deletions.
      Write-In uses 1-2-3's **default   directory** settings when it **looks**
for **document   files** on disk. These **files** use the **extension** "BLT" to
distinguish them from 1-2-3 worksheet files. Write-In's file-management
commands mimic 1-2-3's file-management commands, allowing...

19870505

14/3,K/19   (Item 18 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

...   or insensitive, and backward or forward in any combination. It's an
attractive feature of TEXTRA's design.
      On TEXTRA's program disk you'll **find** a **file** called TXCUSTOM.EXE,
which lets you set a variety of defaults. For example, you can preset the
search-and-replace switches, the **default** drive and **directory** , printer
settings, and even such details as including file size in the directory
listings or highlighting all **files** with the **extension** of .DOC in
yellow.
      It sounds like you can't go wrong with TEXTRA, but of course you can.
TEXTRA uses global left- and right...

19860128

14/3,K/20   (Item 19 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

...   or insensitive, and backward or forward in any combination. It's an
attractive feature of TEXTRA's design.
      On TEXTRA's program disk you'll **find** a **file** called TXCUSTOM.EXE,
which lets you set a variety of defaults. For example, you can preset the
search-and-replace switches, the **default** drive and **directory** , printer
settings, and even such details as including file size in the directory
listings or highlighting all **files** with the **extension** of .DOC in
yellow.
      It sounds like you can't go wrong with TEXTRA, but of course you can.
TEXTRA uses global left- and right...

19860128

14/3,K/21   (Item 1 from file: 88)
DIALOG(R)File 88:Gale Group Business A.R.T.S.

02072722   SUPPLIER NUMBER: 07001823   (USE FORMAT 7 OR 9 FOR FULL TEXT)
PVCS 2.0. (Hardware Review) (Product Watch) (evaluation)
Vallino, Jim
PC Tech Journal, v6, n10, p131(2)
Oct, 1988
DOCUMENT TYPE: evaluation   ISSN: 0738-0194   LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1498   LINE COUNT: 00139

...   if it is not specified, the TMP environment variable. The latter
feature is not documented in the manuals, but is detected easily when the
command-**file   location** is **specified** on the function command line. The
current **directory** is the **default** location.
     After a function is executed, the menu reverts back to the top-level
menu. This is inconvenient since a user often repeats the same...

19881000

14/3,K/22   (Item 1 from file: 141)
DIALOG(R)File 141:Readers Guide

03545510   H.W.   WILSON   RECORD   NUMBER: BRGA97045510   (USE FORMAT 7 FOR
FULLTEXT)
Undocumented secrets: 101 tips for Windows 95, NT, and 3.x.
AUGMENTED TITLE: cover story
Ryan, Valerie Murray.; Miller, Ben.
PC World (PC World) v. 15 (Mar. '97) p. 121-7+
WORD COUNT: 6296

   (USE FORMAT 7 FOR FULLTEXT)

TEXT:
...   application, and it may take a bit of looking to figure it out. For
instance, in Microsoft Word for Windows, select Tools*Options, click the
File   Locations tab, and modify the Documents option. In Excel, it's
again Tools*Options, but you click the General tab and enter the correct
path into the Default **File   Location** field. In Lotus Approach, you
select   File *User Setup*Approach Preferences, click the General tab,
click **Default   Directories** , and fill in the information.
     81. Data Central, Part 3. If an application doesn't offer a way to
change its working directory (folder), try...
 1997

14/3,K/23   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

03850611   SUPPLIER NUMBER: 06989210   (USE FORMAT 7 OR 9 FOR FULL TEXT)
More batch file basics.
Dykhuis, Randy
Small Computers in Libraries, v9, n1, p15(3)
Jan, 1989
ISSN: 0275-6722   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 2019   LINE COUNT: 00148

...   to your root directory. . .
     cd\

Line 3 is a label t simply marks the beginning of a loop that does the main work of the **file** . The next line **looks** at the first directory name and if nothing is there, skips to the label "finish." The next line changes the **default** **directory** to the first directory you listed. The DIR command actually displays the **file** ; the / W switch **specifies** the wide format with files displayed in five columns across the screen. SHIFT is a batch file command that shifts each replaceable parameter down one...

19890100

14/3,K/24 **(Item 1 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01985452   SUPPLIER NUMBER: 18709496   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Tweaking Web Browsers to get more out of time spent online.(Shareware Shop)
 (Software Review)(Evaluation)(Column)
Gralla, Preston
Computer Shopper, v16, n10, p642(2)
Oct, 1996
DOCUMENT TYPE: Evaluation Column   ISSN: 0886-0556   LANGUAGE:
   English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2100   LINE COUNT: 00162

...   in, so you never have to launch it--it simply jumps into action every time you download a ZIP file via Navigator. The utility downloads **selected** **files** to a user-defined **default** **directory** and, if you like, automatically unzips them. (You'll need a copy of PKZip on your hard drive to make this possible.) If you so specify, EZ Download will also run a virus **check** on any **files** you gather from the Net.
    Setting up the program is simple. Just specify the folder that will receive downloaded files, the location of PKZip, and...

19961000

14/3,K/25 **(Item 2 from file: 275)**
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01910793   SUPPLIER NUMBER: 18032591   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Fusing your applications to the system through the Windows 95 shell.
 (Technology Tutorial)(Tutorial)
Richter, Jeff
Microsoft Systems Journal, v11, n4, p61(9)
April, 1996
DOCUMENT TYPE: Tutorial   ISSN: 0889-9932   LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 6860   LINE COUNT: 00549

...ABSTRACT: part series describes how to integrate applications with Microsoft's new Windows 95 and Windows NT Shell Update Release. Windows 95 creates a \Program Files **directory** as the **default** location for applications installed on the system; setup applications should choose a default installation path of \Program Files\(application name), which users can change if...

...arise when dealing with shared files; how to avoid these problems is discussed. Also described are maintaining settings between invocations, invoking applications automatically, defining data **types** , constructing **documents** with the shell, adding **document** -**specific** commands to the shell, and enabling printing.

19960400

14/3,K/26 **(Item 3 from file: 275)**

01637935   SUPPLIER NUMBER: 14612306   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Automatic distribution control. (programs available from comp.sources.unix,
comp.sources.misc, comp.sources.x and comp.sources.games)(On the
Networks) (Column)**
Weinstein, Sydney S.
C Users Journal, v11, n12, p97(5)
Dec, 1993
DOCUMENT TYPE: Column   ISSN: 0898-9788   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3094   LINE COUNT: 00246

...   Volume 39, Issues 60-61. PSCMenu is a menu system capable of
executing any UNIX command from the "menu." PSCMenu reads individual menus
from menu **files   located** in a "menu" directory. You can edit the menu
files with any editor, since they are simple text files. Through the "menu"
is flexible, the only command line argument PSCMenu accepts is the name of
a directory containing the menu **files** . You **specify** a **default**
directory in the menu header file.
       Jeff Kingston [less than jeff@joyce.cs.su.oz.au greater than] made
one of the larger contributions this time...

   19931200

   14/3,K/27   (Item 4 from file: 275)

01546649   SUPPLIER NUMBER: 12597719   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Justify capital investments. (using Lotus Development Corp.'s 1-2-3
spreadsheet software for capital budgeting) (Tutorial)**
Nelson, Stephen L.
Lotus, v8, n9, p17(4)
Sept, 1992
DOCUMENT TYPE: Tutorial   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2155   LINE COUNT: 00178

...   the values (period numbers) in rows 3, 33, 61, 75, 89, and 103.
       8. Save the file
       To save the template with its formulas intact, **select** /**File** Save
(Symph: SERVICES File Save), enter a file name that isn't listed in the
default   directory , and press Return. In 1-2-3/W **select**   **File** Save As,
 type a **file** name, and press Return or click OK.

   19920900

   14/3,K/28   (Item 5 from file: 275)

01525971   SUPPLIER NUMBER: 12344990   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Fast indexed help. (developing context-sensitive help files) (Tutorial)
Toft, George
Windows-DOS Developer's Journal, v3, n7, p24(9)
July, 1992
DOCUMENT TYPE: Tutorial   ISSN: 1059-2407   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2967   LINE COUNT: 00224

...   help and press Enter. The indexing program assumes the file
help.txt is to be indexed, and creates the index file help.idx in the
default   directory . Since the program is simple and thoroughly commented,
I will not describe it in detail here. Briefly, the program reads a line

from the **specified** he̶l̶✏file , counts its length and ad̶✏ two (for the carriage return and line-feed characters), adds that value to the total byte count, and outputs the total to the index file. The program's preliminaries **verify** the help **file** 's existence and open up the help and index files for access.

help.bas contains the following subprograms, which perform the fuctions indicated:
* Display() - Displays...

19920700

14/3,K/29   (Item 6 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01469119   SUPPLIER NUMBER: 11585274   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Get a head start on worksheet development; an accountant and 1-2-3 veteran shares his ideas for taking the sweat out of spreadsheeting. (Tutorial)
Schmidt, Walter C.
Lotus, v7, n12, p57(5)
Dec, 1991
DOCUMENT TYPE: Tutorial   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3266   LINE COUNT: 00248

...   range C2..Y2.
     E5   @MAX(B3..Y3)
     K14   +update
     K15   @NOW
     K16   @NOW
     8. Save the file
     To save the template with its formulas intact, **select /File** Save
(Symph:SERVICES **File** Save), **type** a **file** name that isn't already listed in the **default** **directory** , and press Return.

19911200

14/3,K/30   (Item 7 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01458933   SUPPLIER NUMBER: 11500510   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Why take chances? 1-2-3's statistical power can help pinpoint the likelihood of success or failure. (statistical techniques applied to 1-2-3 or Symphony models) (Tutorial)
Conatser, Kelly R.
Lotus, v7, n11, p49(5)
Nov, 1991
DOCUMENT TYPE: Tutorial   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3622   LINE COUNT: 00293

...   r<>succ2,
                    "***","")
     A20   +" least "&@STRING(r,0)&
                  " success(es)"
     8. Save the file
     To save the template with its formulas intact, press slash (Symph:
SERVICES), **select   File** Save, **type** a **file** name that isn't already listed in the **default** **directory** , and press Return.

19911100

14/3,K/31   (Item 8 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01454696   SUPPLIER NUMBER: 11440537   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Answers to your questions about Lotus products. (Q&A) (column)
Gasteiger, Daniel
Lotus, v7, n10, p74(4)
Oct, 1991
DOCUMENT TYPE: column   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1957   LINE COUNT: 00142

...   labels as shown.
     Begin each entry with an apostrophe label prefix. Assign the name \0
to cell B1. Make sure that you've chosen a **default   directory** and
updated the configuration file so that 1-2-3 will know where to **find** the
autoloading **file** after you save it. To set a permanent **default**
directory , first select/Worksheet Global **Default   Directory** , enter a
path name, and select Update. Then **select** Quit.
     Save this **file** under the name AUTO123. When you load 1-2-3, it
automatically retrieves the AUTO123 file and runs the macro named \0.
     1-2-3...

19911000

14/3,K/32   (Item 9 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01454690   SUPPLIER NUMBER: 11440525   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Grow smart: profit/volume analysis helps you pick the best ways to expand
 your business. (using Lotus 1-2-3) (tutorial)**
Nelson, Stephen L.
Lotus, v7, n10, p38(4)
Oct, 1991
DOCUMENT TYPE: tutorial   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2185   LINE COUNT: 00164

...   D57
     Copy range D56..D60 to range E56..I56.
     8. Save the file
     To save the template with its formulas intact, press slash (Symph:
SERVICES), **select   File** Save, **type** a **file** name that isn't already
listed in the **default   directory** , and press Return.

19911000

14/3,K/33   (Item 10 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01442659   SUPPLIER NUMBER: 11032601   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**The fine art of server backup. (includes related articles on what to look
 for in a tape system, secure workstation-based NetWare backup) (Cover
 Story)**
Corrigan, Patrick H.
LAN Technology, v7, n8, p26(12)
August, 1991
DOCUMENT TYPE: Cover Story   ISSN: 1042-4695   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 7589   LINE COUNT: 00598

...   memory management software such as Quarterdeck Office Systems'
QEMM.
     Another drawback is that MaynStream does not alphabetize files and
directories. This makes it difficult to **locate   specific   files** and

directories . By defaul●, MaynStream's Tape Directory a●d Catalog
Maintenance screens scroll directories nonstop, which makes it impossible
to view them. This problem can be solved by starting...

19910800

14/3,K/34   (Item 11 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01427172   SUPPLIER NUMBER: 10567745   (USE FORMAT 7 OR 9 FOR FULL TEXT)
More tips on using Lotus products. (Good Ideas) (column)
Lotus, v7, n4, p68(3)
April, 1991
DOCUMENT TYPE: column   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 2452   LINE COUNT: 00177

...   program, all of the File commands default to the subdirectory in
which the 1-2-3 program files are stored. If he selects /Worksheet Global
Default   Directory , the **directory** is still A:\. The problem is that he
must insert a disk in drive A, **select** /File Directory, and enter A: to
get the **File** commands to **look** to drive A.
      I don't know if this is a known problem with the software, but it
caused us a great deal of frustration...

19910400

14/3,K/35   (Item 12 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01389471   SUPPLIER NUMBER: 08616320   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Cell mates. (file-linking formulas in Lotus Development Corp.'s Lotus 1-2-3
and Symphony)(Help/2.2) (tutorial)
Fielding, Justin; Spera, Jo-Ann
Lotus, v6, n7, p74(3)
July, 1990
DOCUMENT TYPE: tutorial   ISSN: 8756-7334   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2402   LINE COUNT: 00176

...   left-angle brackets (<<) and is immediately followed by the file
name. In most applications, the file name should inlcude the drive name,
directory name, and **file   extension** . If you omit the drive and directory
name and you subsequently change the **default   directory** , the linking
formula will no longer be able to **find** the source **files** . The handful of
keystrokes you save by leaving out the drive, directory, and extension
could result in errors later on. However, if you move the...

19900700

14/3,K/36   (Item 13 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01258470   SUPPLIER NUMBER: 07155559   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Good ideas: the best reader tips on using Lotus products. (1-2-3, Symphony)
Lotus, v4, n12, p82(4)
Dec, 1988
ISSN: 8756-7334   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 2616   LINE COUNT: 00185

...   the control panel and the full-screen display of file names. (The
File Erase and List commands give you a full-screen display of the 1type0

of **files** you **specify** . As you move the cell pointer to highlight each
file name in a full-screen display, 1-2-3 shows the date and time the file
was created, as well as its size. If the **default   directory** lists
subdirectories, you can highlight a subdirectory and press Return to get a
listing of that subdirectory's files. You can then press the NAME key to
toggle between the control panel and a full-screen display of the file
names in that subdirectory. To **select** a **file** , place the cell pointer on
the file name and press Return. In 1-2-3 Release 1A, the NAME key will not
display a full...

   19881200

   14/3,K/37   (Item 14 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01246465   SUPPLIER NUMBER: 06958673   (USE FORMAT 7 OR 9 FOR FULL TEXT)
More tips on using Lotus products. (reader tips)
Mattai, Subhadra
Lotus, v4, n9, p98(4)
Sept, 1988
ISSN: 8756-7334   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 2688   LINE COUNT: 00196

...   in the control panel and a full-screen display of file names. (The
File List command automatically gives you a full-screen display of the
type of **files** you **specify** .) As you move the cell pointer to highlight
each file name in a full-screen display, 1-2-3 displays the date and time
the file was created, as well as its size. If the **default   directory**
lists subdirectories, you can highlight a subdirectory and press Return to
get a listing of that subdirectory's files. You can then press the NAME key
to toggle between the control panel and a full-screen display of the file
names in that subdirectory. To **select** a **file** , place the cell pointer on
the file name and press Return. In 1-2-3 Release 1A the NAME key will not
display a full...

   19880900

   14/3,K/38   (Item 15 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01207740   SUPPLIER NUMBER: 06168966   (USE FORMAT 7 OR 9 FOR FULL TEXT)
January through June, 1987. (Lotus mid-year index)
Lotus, v3, n7, p141(4)
July, 1987
ISSN: 8756-7334   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 3182   LINE COUNT: 00241

...   and subdirectories, o, Mar, 98 MS OS/2, May, 11 PATH command, o,
Jun, 126 reading subdirectories o,s, Mar, 97 RENAME command to change **file
 extensions** , o, May, 110 renaming directory files, o,s, Apr, 120 SUBST
command, o,s, Jun, 119 variable **default   directory** , o,s, Apr, 119 see
also OPERATING SYSTEMS DRIVERS for HP printers and plotters, Apr, 122
installation, o,s, Jun, 114 for NEC SpinWriter/PinWriter...132
project-management: Project 8,9,10, Apr, 142 tax: EasyTax, Mar, 122;
Domestic Relocation Worksheet Gross-Up Procedure, May, 132; Taxtime, May,
133 worksheet **analysis /documentation** : Cambridge Spreadsheet **Analyst** ,
Cell/Mate, DocuCalc, Spreadsheet Auditor, Jan, 107; Note-It, May, 132
ROUNDING truncating decimals, o,s, Feb, 99 SCANNERS desktop, Jan, 15 SETUP
STRINGS C...

...reviews (see REVIEWS, SOFTWARE) word-processing, for 1-2-3, Jan, 22;
low-cost, Feb, 22 SOFTWARE LISTINGS multipurpose, Jan 107 tax, Jan, 107
worksheet **analysis /documentation** , Feb, ...finding median and mode, o,s,
Apr, 116 parsing captured, s, May, 110 ranking, formula for, o, Feb, 37

WORKSHEET PROTECTION (s⬤DATA SECURITY) WORKSHEETS anal⬤is /
documentation (see REVIEWS, SOFTWARE) reusing spreadsheet templates, o,s,
Mar, 97 spreadsheet layout, o,s, Feb, 46 WORLD OF LOTUS (see INFORMATION
SERVICES)

19870700

14/3,K/39   (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01073312   CMP ACCESSION NUMBER: WIN19951121S0043
E-Mail (Tips From The Top)
WINDOWS MAGAZINE, **1995** , n 613, PG172
PUBLICATION DATE: 951121
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Applications
WORD COUNT: 3287

, 1995
...   cc:Mail organizes files, such as attachments to mail messages,
change it. Click on the User Setup button (the screwdriver), or choose
Tools/User Setup. **Select   File   Locations** from the Preference list
box. The Paths list box lets you choose the location to modify. You can
choose Remember Last Working Directory or create a permanent **default**
directory .
     Easing Traffic on the Internet
     Inundated with mail from Internet mailing lists? Write a rule that
moves all mailing list traffic to a special folder...

14/3,K/40   (Item 2 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01021099   CMP ACCESSION NUMBER: WIN19940701S0817
How to Get Better CD-ROM Performance @by:David Methvin...
WINDOWS MAGAZINE, **1994** , n 507 , 260
PUBLICATION DATE: 940701
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: reviews
WORD COUNT: 477

, 1994
...   able to copy some of the executable files to the hard disk
manually and then run the program using the CD-ROM drive as the **default**
directory . Sometimes the program has an option in its .INI **file** that
lets you specify the **locations** of **files** ; you may want to experiment
with copying data or index files to the hard disk to see whether
performance improves. Only you can decide whether...

14/3,K/41   (Item 3 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00605914   CMP ACCESSION NUMBER: NWC19911001S1313
These Are a Few of My Favorite Things (The Manager)
Diane Danielle
NETWORK COMPUTING, **1991** , n 210 , 108
PUBLICATION DATE: 911001
JOURNAL CODE: NWC   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Logging Off

...   you modify an ASCII string in a file. Paired with SWEEP (which
lets you repeat a command throughout a directory structure), you can
change a **default   directory** path in configuration files distributed in
hundreds of user directories. LASERLST will help you save trees by
formatting your large text files so that two...

...version of LIST (called LIST ENHANCED), but the shareware version is
still available. This browser does everything but bake bricks, and I have
yet to **find a file** too large for it. You can **mark** sections of a **file**
  for printing or output to a file, wrap long lines, view a file in HEX or
search for a string. The newer versions contain basic...

...calls to ALLWAYS.ASD and redirect the calls to a file name contained in
an environment variable. But what if you don't know what **files** the
program is **looking** for? Enter Monitor, a companion program. Monitor is a
TSR that will capture DOS calls to create or open a file. It writes out
the...

14/3,K/42   (Item 4 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00522971   CMP ACCESSION NUMBER: WIN19920801S2209
Bargain Tools For File Management
Michael A. Banks
WINDOWS MAGAZINE, **1992** , n 307 , 187
PUBLICATION DATE: 920801
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Superior Shareware
WORD COUNT: 1551

...   double-click on the parent or subdirectory name of your choice. To
swap source and destination directories, press the +! button in the middle
of the **FILEMAN** window.
     To **find a file** based on **filename** and **filename   extension**
criteria, press the Find button. This brings up a dialog box in which you
enter search specifications and initiate the search. The file list is...

14/3,K/43   (Item 5 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00520921   CMP ACCESSION NUMBER: WIN19921201S0156
Buying a System - Mail-Order Buyers Be Aware
WINDOWS MAGAZINE, **1992** , n 311 , 144
PUBLICATION DATE: 921201
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: 500 WINDOWS TIPS & TRICKS
WORD COUNT: 40009

...   give it a unique filename and click on the Save button. Word
Processing - WordPerfect 5.1: Set Up a Default Directory
     Set up a fixed **default   directory** to run WordPerfect from. Each
time you want to open up a **file** , WordPerfect will first **look** in the
directory you worked in last. To set up a fixed **default   directory** ,
Select   File /Open and deselect the Change Default Dir box. Word
Processing - WordPerfect 5.1: Choose Where to Place Files
     Set up a default directory for **files** . **Select   File** /Preferences/
Location of **Files** and fill in the boxes where WordPerfect will search
for and store files, macros, styles and documents. Word Processing -